



Gateway 확인하기



1. 윈도우 시작 버튼을 클릭합니다.
2. 실행(R)버튼 혹은 프로그램 검색에 cmd명령어를 입력합니다.



A screenshot of a Windows command prompt window. The title bar reads '관리자: C:\Windows\system32\cmd.exe'. The window content shows 'Microsoft Windows [Version 6.1.7601] Copyright (c) 2009 Microsoft Corporation. All rights reserved. C:\Users\parksomi>'. A red arrow points from the prompt to a larger, semi-transparent black box on the right that contains the command 'C:\Users\parksomi> ipconfig' with a red underline under 'ipconfig'.

1. 명령 프롬프트 창이 실행된 것을 확인합니다.
2. ipconfig를 입력 후 엔터(Enter)를 누릅니다.

```
관리자: C:\Windows\system32\cmd.exe
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\parksomi>ipconfig

Windows IP 구성

이더넷 어댑터 로컬 영역 연결 2:

    연결별 DNS 접미사. . . . . :
    링크-로컬 IPv6 주소 . . . . . : fe80::44f3:d94e:49fb:79d8%13
    IPv4 주소 . . . . . : 192.168.77.176
    서브넷 마스크 . . . . . : 255.255.255.0
    기본 게이트웨이 . . . . . : 192.168.77.1

이더넷 어댑터 로컬 영역 연결:

    미디어 상태 . . . . . : 미디어 연결 끊김
    연결별 DNS 접미사. . . . . :

터널 어댑터 isatap.{7A292517-A69F-4290-B594-CEC7AF886DA7}:

    미디어 상태 . . . . . : 미디어 연결 끊김
    연결별 DNS 접미사. . . . . :
```

기본게이트웨이(Default Gateway)의 값을 확인합니다.



1. 웹 브라우저를 실행 합니다.
2. 웹 브라우저 주소창에 확인하신 기본게이트웨이(Default Gateway) 값을 입력합니다.